

Michigan MEDICATION SECTION SODIUM BICARBONATE

Initial Date: 07/19/2023

Revised Date: Section: 9-41R

Sodium Bicarbonate

Pharmacological Category: Alkalinizing Agent; Antacid; Electrolyte Supplement,

Indications:

- 1. Cardiac arrest in dialysis patient with suspected hyperkalemia
- 2. Symptomatic tricyclic antidepressant overdose
- 3. Acidosis related to crush injury
- 4. Hyperkalemia

Contraindications:

- 1. Severe pulmonary edema
- 2. Known Alkalosis

Precautions:

- 1. Must flush IV line between medications
 - a. Calcium and epinephrine are not compatible with sodium bicarbonate
- 2. Administer slowly

Dosing: GENERAL CRUSH INJURY

Indication: If extrication is prolonged, and/or hyperkalemia is suspected.

Adults administer:

1. Sodium bicarbonate 100 mEq IVP prior to extrication. May repeat 50 mEq/hr IVPB or slow IVP

Pediatrics administer:

- 1. Sodium bicarbonate according to MI MEDIC cards
- 2. If MI MEDIC cards are not available administer Sodium bicarbonate 1 mEq/kg (max dose 50 mEq) IVP

Dosing: POSIONING/OVERDOSE/ENVIRONMENTAL EXPOSURE GENERAL CRUSH INJURY

Indication: symptomatic tricyclic antidepressant ingestions (tachycardia, wide complex QRS) Adults administer:

1. Sodium bicarbonate 50 mEq IV. Repeat as needed

Pediatrics administer:

- 1. Sodium bicarbonate according to MI MEDIC cards.
- If MI MEDIC cards are not available administer Sodium bicarbonate 1 mEq/kg IV. Repeat as needed

Dosing: ADULT CARDIAC ARREST

Indications: Cardiac arrest with known or highly suspected tricyclic antidepressant overdose or known or highly suspected hyperkalemia (e.g., dialysis patient, EKG changes) Adults administer:



Michigan MEDICATION SECTION SODIUM BICARBONATE

Initial Date: 07/19/2023

Revised Date: Section: 9-41R

1. Sodium bicarbonate 1 mEq/kg IV/IO

Dosing: PEDIATRIC CARDIAC ARREST

Indication: Cardiac arrest with hyperkalemia (renal failure)

Pediatrics administer:

- 1. Sodium bicarbonate according to MI MEDIC cards
- 2. If MI MEDIC cards are not available administer Sodium bicarbonate 1 mEq/kg IV/IO

Used in the Following Protocols:

General Crush Injury (Section 2 Trauma and Environmental)
Poisoning/Overdose/Environmental Exposure (Section 2 Trauma and Environmental)
General Cardiac Arrest (Section 5 Adult Cardiac)

Pediatric Cardiac Arrest – General (Section 6 Pediatric Cardiac)