

Michigan MEDICATION SECTION TETRACAINE

Initial Date: 07/19/2023

Revised Date: Section: 9-43R

Tetracaine

Pharmacological Category: Local Anesthetic; Local Anesthetic, Ophthalmic

Indications:

1. Eye pain relief related to chemical exposure and subsequent eye irrigation.

Contraindications:

- 1. Hypersensitivity to anesthetics
- 2. Large area application
- 3. Infants < 1 year old

Precautions:

1. Patient should not rub eyes after administration

Expected effects:

1. Numbing of eye

Side effects:

- 1. Burning
- 2. Irritation
- 3. Rash

Notes:

1. Tetracaine is an MCA optional medication and may not be available.

Dosing: POISONING/OVERDOSE/ENVIRONMENTAL EXPOSURE

Adults and Pediatrics administer:

1. Tetracaine, 1-2 drops per eye every 5 minutes, maximum of 5 doses

Dosing: CHEMICAL EXPOSURE

Adults and Pediatrics administer:

1. Tetracaine, 1-2 drops per eye every 5 minutes, maximum of 5 doses

Used in the Following Protocols:

Poisoning/Overdose/Environmental Exposure (Section 2 Trauma and Environmental) Chemical Exposure (Section 10 Special Operations)